

Package ‘shinyShortcut’

October 14, 2022

Title Creates an Executable Shortcut for Shiny Applications

Version 0.1.0

Description Provides function shinyShortcut() that, when given the base directory of a shiny application, will produce an executable file that runs the shiny app directly in the user's default browser. Tested on both windows and unix machines. Inspired by and borrowing from

<<http://www.mango-solutions.com/wp/2017/03/shiny-based-tablet-or-desktop-app/>>.

Depends R (>= 3.2.3)

License GPL (>= 3) | file LICENSE

Encoding UTF-8

LazyData true

Suggests testthat, covr

RoxygenNote 6.0.1

NeedsCompilation no

Author Ewan Keith [aut, cre]

Maintainer Ewan Keith <ewan.keith100@gmail.com>

Repository CRAN

Date/Publication 2017-03-19 18:13:08 UTC

R topics documented:

shinyShortcut	2
Index	3

`shinyShortcut`*Create Shiny App Shortcut*

Description

Creates an executable file that, when ran, will open the co-located shiny app using the user's default internet browser.

Usage

```
shinyShortcut(shinyDirectory = getwd(), OS = .Platform$OS.type,  
             gitIgnore = FALSE)
```

Arguments

<code>shinyDirectory</code>	The top-level directory containing the code and materials for the shiny application. Also where the final shortcut file will be saved.
<code>OS</code>	The operating system that R is being ran on. Must be one of "windows" or "unix".
<code>gitIgnore</code>	If True then all produced files will be added to a <code>.gitignore</code> file in the specified directory (if there is no such file it will be created).

Details

Calling `shinyShortcut` will write an executable file that will run the shiny app in the user's default browser. This executable is stored in a created folder named `.shiny_run` whilst a shortcut that will silently run the executable is saved in the home directory as `'shinyShortcut'` (this will be a `.vbs` script on windows or a `.desktop` file on unix systems). These files can then be linked to from other locations such as the user's desktop.

Examples

```
shinyShortcut()
```

Index

shinyShortcut, [2](#)